

Calf Home Exercise Program

Created by Katelyn Watts Sep 28th, 2020 View videos at www.HEP.video

Total 22 Page 1 of 7



SEATED CALF STRETCH - SOLEUS

While sitting, use a towel or other strap looped around your foot. Gently pull your ankle back until a stretch is felt along the back of your lower leg.

Your knee should be slightly bent the entire time. Video # VVK4R6BJT

Hold 30 Seconds

Complete 2 Sets Perform 3 Times a Day



SEATED CALF STRETCH - GASTROCNEMIUS

While sitting, use a towel or other strap looped around your foot. Gently pull your ankle back until a stretch is felt along the back of your lower leg. Maintain your target knee straight the entire time. Video # VVURW8HK8

Hold 30 Seconds

Complete 3 Sets Perform 3 Times a Day



STANDING CALF STRETCH - SOLEUS

Start by standing in front of a wall or other sturdy object. Step forward with one foot and maintain your toes on both feet to be pointed straight forward. Keep the leg behind you with a bent knee during the stretch.

Lean forward towards the wall and support yourself with your arms as you allow your front knee to bend until a gentle stretch is felt along the back of your leg that is most behind you.

Move closer or further away from the wall to control the stretch of the back leg. Also you can adjust the bend of the front knee to control the stretch as well. Video # VVGUVSTYG

Repeat 1 Time Hold 30 Seconds

Complete 3 Sets Perform 2 Times a Day



STANDING CALF STRETCH - GASTROCNEMIUS


Start by standing in front of a wall or other sturdy object. Step forward with one foot and maintain your toes on both feet to be pointed straight forward. Keep the leg behind you with a straight knee during the stretch.

Lean forward towards the wall and support yourself with your arms as you allow your front knee to bend until a gentle stretch is felt along the back of your leg that is most behind you.

Move closer or further away from the wall to control the stretch of the back leg. Also you can adjust the bend of the front knee to control the stretch as well. Video # VVNCZDYYG

Hold 30 Seconds

Complete 3 Sets Perform 2 Times a Day



Calf stretch

Stand with one foot on a slanted surface, hips over your heals, and knee straight. Maintain an up right posture.

Complete 3 Sets

Hold 30 Seconds
Perform 2 Times a Day



Calf Pin and Stretch

In a long sitting position with one leg crossed over the other, roll your calf along the foam roll back and forth from the ankle to the knee for 1-2 mins with the toes/foot pointed downward. Then find various trigger points/knots and place sustained pressure on them as you pull your foot/toes up toward you. Continue along the entirety of the calf along various trigger points/knots.

Hold 2 Minutes

Complete 2 Sets Perform 2 Times a Day



Calf self massage

Lie down or sit up on the floor. Stretch the affected leg. Place a tennis ball or massage ball on top of a yoga block or thick book. Gently compress your calf on the ball, move your calf side to side and up and down, and circle your ankles as you massage.

Perform 1 Times a Day



3 WAY CALF RAISE - STRAIGHT

While performing this exercise, always hold on to the hand railing. Stand on one step with your toes only, have your heel hanging off the edge. Feet should be pointed straight forward. Next, lower your heel below the step, then raise back up onto your toes. Repeat.

Repeat 8 Times Hold 2 Seconds
Complete 3 Sets Perform 1 Times



3 WAY CALF RAISE - TOES IN

While performing this exercise, always hold on to the hand railing. Stand on one step with your toes only, have your heel hanging off the edge. Toes should be pointing inward. Next, lower your heel below the step, then raise back up onto your toes. Repeat.

Repeat 8 Times Hold 2 Seconds

Complete 3 Sets Perform 1 Times a Day



3 WAY CALF RAISE - TOES OUT

While performing this exercise, always hold on to the hand railing. Stand on one step with your toes only, have your heel hanging off the edge. Toes should be point outward. Next, lower your heel below the step, then raise back up onto your toes. Repeat.

Repeat 8 Times Hold 2 Seconds
Complete 3 Sets Perform 1 Times



ANKLE ABC's

While in a seated position, write out the alphabet in the air with your big toe.

Your ankle should be moving as you perform this. Video # VVWT9C6SV

Repeat 1 Time Hold 1 Second

Complete 1 Set Perform 2 Times a Day



Ankle 4way with TB

All theraband exercise is slow and controlled. Do not let the band "bounce" back.

A. Plantarflexion: "gas pedal." Keep knee straight.Band around "ball of foot" and press it away as far as possible and slowly return to neutral. Repeat.

B. Dorsiflexion: start in neutral and pull theraband back toward you as far as possible. pause. return slowly. keep knee straight. C.Inversion: start neutral and bring band toward your midline without bending or twisting knee.

D. Eversion: start neutral and press band out without bending or twisting knee.

Repeat 10 Times Hold 1 Second

Complete 3 Sets Perform 2 Times a Day



Tennis Ball Raises

Place a tennis ball between both heels and squeeze the ball. Raise up on your toes. Focus on even distribution of your weight on your feet and keeping the ball between the heels without dropping it.

Repeat 6 Times Hold 3 Seconds

Complete 3 Sets Perform 1 Times a Day



MARBLE PICK UPS

Place several marbles, dice or other small items on the floor and pick them up using your toes as shown. Place them in a cup or bowl and repeat. Video # VVM5XBF2J

Repeat 1 Time Hold 1 Second

Complete 1 Set Perform 1 Times a Day



TOWEL CURLS - TOWEL SCRUNCHES

While seated, use a towel and draw it back towards you using your toes. Curl your toes inward.

Be sure to keep your heel in contact with the floor the entire time. Video # VVSSVNRG8

Repeat 1 Time Hold 1 Second

Complete 4 Sets Perform 1 Times a Day



One Leg Standing Pillow Eyes Open/Eyes Closed

With your eyes open, stand with one leg on a standard pillow and maintain balance as long as you can. If you do not need outside assistance within 10 seconds, progress to standing with your eyes closed.

NOTE: If instructed by your therapist, have an assistive device or chair nearby.

Perform 2 minutes times 2.

You may also do this exercise on a BOSU Ball or Airex Pad

Hold 30 Seconds

Complete 3 Sets Perform 2 Times a Day



Soleus Heel Raise


Start in a lunge position, slowly raise heel of front foot off the ground, then return to start position.

Keep the weight over the ball of your foot throughout the activity.

Vary the difficulty by putting less weight or more on the front leg.

Repeat 15 Times

Complete 2 Sets Perform 1 Times a Day



SINGLE LEG STANCE - CLOCKS

Start by standing on one leg and maintain your balance. Image a clock on the floor where your stance leg is in the center.

Then, lightly touch position 1 as illustrated with your non-stance foot. Then return that leg to the starting position.

Next, touch position 2 and return. Continue this all the way to position 6.

Maintain a slightly bent knee on the stance side. Video # VVSAM8NNY

Repeat 4 Times Hold 1 Second

Complete 3 Sets Perform 1 Times a Day



SINGLE LEG DEADLIFT

Stand and balance on one leg.

Next, lean forward towards touching the floor as you extend and lift your leg behind your body. Keep your spine straight and hinge at the hip.

Return to starting original position and repeat. Video # VVNNXYN8Y

Repeat 8 Times Hold 1 Second

Complete 3 Sets Perform 1 Times a Day



Anterior tap down

Stand on a step. Slowly lower the heel of one foot towards the floor, tapping the floor. Then raise back up slowly.

Repeat 8 Times
Complete 3 Sets

Perform 1 Times a Day



Walking Lunge

Keep arms at your sides and step forward with one leg. Drop into a lunge, then stand up and hold runners stance for one second. Then switch to lunge with the other leg. Keeps stomach muscles tight during the exercise. Video # VVAJKSXJR

Repeat 10 Times

Complete 2 Sets Perform 1 Times a Day



3 Way Balance

Perform a single leg squat with the involved leg. Perform reps with the uninvolved leg moved into the 3 directions shown (Forward/Medial/Lateral).

*Can use flat ground, pad, or barefoot on carpet or pillow.

Repeat 5 Times Hold 5 Seconds

Complete 3 Sets Perform 1 Times a Day